	<u>Unit</u>	ED STATES PATEN	T AND TRADEMARK OFFICE	UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov		
/	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
<i>'</i>	10/628,114	07/28/2003	Anthony Jarski		1799	
	75	590 08/14/2006		EXAMINER		
/	ANTHONY C			CANFIELD, ROBERT		
/	1242 SW ALES			ART UNIT	PAPER NUMBER	
	PORT ST LUCIE, FL 34953			3635		
				DATE MAILED: 08/14/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Applica	ition No.	Applicant(s)	· · · - · - · · - · · · · · ·				
			,114	JARSKI, ANTHONY					
	Office Action Summary	Examir	er	Art Unit					
		Robert	J. Canfield	3635					
Period fo	The MAILING DATE of this communi or Reply	cation appears on	the cover sheet with the c	orrespondence add	dress				
WHIC - Exter after - If NO - Failu Any r	ORTENED STATUTORY PERIOD FOR HEVER IS LONGER, FROM THE MANISIONS OF THE MA	AILING DATE OF of 37 CFR 1.136(a). In no unication. tutory period will apply and will, by statute, cause the a	THIS COMMUNICATION event, however, may a reply be timed will expire SIX (6) MONTHS from application to become ABANDONE	N. nely filed the mailing date of this co D (35 U.S.C. § 133).					
Status									
1)⊠	Responsive to communication(s) filed	d on <u>28 <i>July</i> 2003</u> .							
2a) <u></u> □	This action is <b>FINAL</b> . 2	b)⊠ This action is	non-final.						
3)[	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is								
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
5)□ 6)⊠ 7)□	4)  Claim(s) 1 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.  5)  Claim(s) is/are allowed.  6)  Claim(s) 1 is/are rejected.  7)  Claim(s) is/are objected to.  8)  Claim(s) are subject to restriction and/or election requirement.								
Applicati	on Papers								
<ul> <li>9) The specification is objected to by the Examiner.</li> <li>10) The drawing(s) filed on 28 July 2003 is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>									
Priority u	ınder 35 U.S.C. § 119								
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.									
Attachment	t(s) e of References Cited (PTO-892)		4) Interview Summary	(PTO-413)					
2) Notic 3) Inform	e of Draftsperson's Patent Drawing Review (P nation Disclosure Statement(s) (PTO-1449 or f r No(s)/Mail Date		Paper No(s)/Mail Da 5) Notice of Informal P 6) Other: 37 CFR 1.84	ate ratent Application (PTO	P-152)				

1. This is a first Office action on the merits for application serial number 10/628,114 filed 07/28/03. One claim is pending.

2. An examination of this application reveals that applicant is unfamiliar with patent prosecution procedure. While an inventor may prosecute the application, lack of skill in this field usually acts as a liability in affording the maximum protection for the invention disclosed. Applicant is advised to secure the services of a registered patent attorney or agent to prosecute the application, since the value of a patent is largely dependent upon skilled preparation and prosecution. The Office cannot aid in selecting an attorney or agent.

A listing of registered patent attorneys and agents is available on the USPTO Internet web site http://www.uspto.gov in the Site Index under "Attorney and Agent Roster." Applicants may also obtain a list of registered patent attorneys and agents located in their area by writing to the Mail Stop OED, Director of the U. S. Patent and Trademark Office, PO Box 1450, Alexandria, VA 22313-1450

3. The drawings are objected to because they fail to comply with 37 CFR 1.84. Examples include; photographs require petition and are of poor quality/illegible, no legends or reference numerals are provided, dimensions and descriptive matter not permitted. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate

Application/Control Number: 10/628,114 Page 3

Art Unit: 3635

prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

4. New corrected drawings in compliance with 37 CFR 1.121(d) are required in this application because the drawings submitted fails to comply with 37 CFR 1.84. Applicant is advised to employ the services of a competent patent draftsperson outside the Office, as the U.S. Patent and Trademark Office no longer prepares new drawings. The corrected drawings are required in reply to the Office action to avoid abandonment of the application. The requirement for corrected drawings will not be held in abeyance.

# INFORMATION ON HOW TO EFFECT DRAWING CHANGES

**Replacement Drawing Sheets** 

Drawing changes must be made by presenting replacement sheets which incorporate the desired changes and which comply with 37 CFR 1.84. An explanation of the changes made must be presented either in the drawing amendments section, or remarks, section of the amendment paper. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). A replacement sheet must include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of the amended drawing(s) must not be labeled as "amended." If the changes to the drawing figure(s) are not accepted by the examiner, applicant will be notified of any required corrective action in the next Office action. No further drawing submission will be required, unless applicant is notified.

Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and within the top margin.

### **Annotated Drawing Sheets**

A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be submitted or required by the examiner. The annotated drawing sheet(s) must be clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change(s) to the drawings.

## **Timing of Corrections**

Applicant is required to submit acceptable corrected drawings within the time period set in the Office action. See 37 CFR 1.85(a). Failure to take corrective action within the set period will result in ABANDONMENT of the application.

If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the "Notice of Allowability." Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136 for filing the corrected drawings after the mailing of a Notice of Allowability.

5. Claim 1 is rejected as failing to define the invention in the manner required by 35 U.S.C. 112, second paragraph.

Application/Control Number: 10/628,114 Page 5

Art Unit: 3635

The claim(s) are narrative in form and replete with indefinite and functional or operational language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The claim(s) must be in one sentence form only. Note the format of the claims in the patent(s) cited.

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

7. Claim 1 as best understood is rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent 5,030,502 to Tear.

Tear provides lightweight cementitious panels for use in exterior and kitchen environments (col. 1, line24-27).

Recitations of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim.

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Art Unit: 3635

Prior art cementitious panels and kitchen arrangements are listed on the attached PTO 892 form. Further searching will likely be required upon applicant amending the claim(s) to better define the invention.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert J. Canfield whose telephone number is 571-272-6840. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Naoko Slack can be reached on 571-272-6848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robert J Canfield Primary Examiner

Art Unit 3635

08/05/06



#### **United States Patent and Trademark Office**

**PATENTS** 

Home | Site Index | Search | FAQ | Glossary | Guides | Contacts | eBusiness | eBiz alerts | News | Help

Patents >

#### Go to MPEP - Table of Contents

#### browse before

# § 1.84 Standards for drawings. - PATENT RULES

# § 1.84 Standards for drawings.

- (a) *Drawings*. There are two acceptable categories for presenting drawings in utility and design patent applications.
- (1) Black ink. Black and white drawings are normally required. India ink, or its equivalent that secures solid black lines, must be used for drawings; or
- (2) Color. On rare occasions, color drawings may be necessary as the only practical medium by which to disclose the subject matter sought to be patented in a utility or design patent application or the subject matter of a statutory invention registration. The color drawings must be of sufficient quality such that all details in the drawings are reproducible in black and white in the printed patent. Color drawings are not permitted in international applications (see PCT Rule 11.13), or in an application, or copy thereof, submitted under the Office electronic filing system. The Office will accept color drawings in utility or design patent applications and statutory invention registrations only after granting a petition filed under this paragraph explaining why the color drawings are necessary. Any such petition must include the following:
- (i) The fee set forth in § 1.17(h);
- (ii) Three (3) sets of color drawings;
- (iii) An amendment to the specification to insert (unless the specification contains or has been previously amended to contain) the following language as the first paragraph of the brief description of the drawings:

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee.

- (b) Photographs.-
- (1) Black and white. Photographs, including photocopies of photographs, are not ordinarily permitted in utility and design patent applications. The Office will accept

photographs in utility and design patent applications, however, if photographs are the only practicable medium for illustrating the claimed invention. For example, photographs or photomicrographs of: electrophoresis gels, blots (e.g., immunological, western, Southern, and northern), auto- radiographs, cell cultures (stained and unstained), histological tissue cross sections (stained and unstained), animals, plants, in vivo imaging, thin layer chromatography plates, crystalline structures, and, in a design patent application, ornamental effects, are acceptable. If the subject matter of the application admits of illustration by a drawing, the examiner may require a drawing in place of the photograph. The photographs must be of sufficient quality so that all details in the photographs are reproducible in the printed patent.

- (2) Color photographs. Color photographs will be accepted in utility and design patent applications if the conditions for accepting color drawings and black and white photographs have been satisfied. See paragraphs (a)(2) and (b)(1) of this section.
- (c) Identification of drawings. Identifying indicia should be provided, and if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet within the top margin. Each drawing sheet submitted after the filing date of an application must be identified as either "Replacement Sheet" or "New Sheet" pursuant to § 1.121(d). If a marked-up copy of any amended drawing figure including annotations indicating the changes made is filed, such marked-up copy must be clearly labeled as "Annotated Sheet" pursuant to § 1.121(d)(1).
- (d) Graphic forms in drawings. Chemical or mathematical formulae, tables, and waveforms may be submitted as drawings and are subject to the same requirements as drawings. Each chemical or mathematical formula must be labeled as a separate figure, using brackets when necessary, to show that information is properly integrated. Each group of waveforms must be presented as a single figure, using a common vertical axis with time extending along the horizontal axis. Each individual waveform discussed in the specification must be identified with a separate letter designation adjacent to the vertical axis.
- (e) *Type of paper*. Drawings submitted to the Office must be made on paper which is flexible, strong, white, smooth, non-shiny, and durable. All sheets must be reasonably free from cracks, creases, and folds. Only one side of the sheet may be used for the drawing. Each sheet must be reasonably free from erasures and must be free from alterations, overwritings, and interlineations. Photographs must be developed on paper meeting the sheet-size requirements of paragraph (f) of this section and the margin requirements of paragraph (g) of this section. See paragraph (b) of this section for other requirements for photographs.
- (f) Size of paper. All drawing sheets in an application must be the same size. One of the shorter sides of the sheet is regarded as its top. The size of the sheets on which drawings are made must be:
- (1) 21.0 cm. by 29.7 cm. (DIN size A4), or

- (2) 21.6 cm. by 27.9 cm. (8 1/2 by 11 inches).
- (g) Margins. The sheets must not contain frames around the sight (i.e., the usable surface), but should have scan target points (i.e., cross-hairs) printed on two cater-corner margin corners. Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch), thereby leaving a sight no greater than 17.0 cm. by 26.2 cm. on 21.0 cm. by 29.7 cm. (DIN size A4) drawing sheets, and a sight no greater than 17.6 cm. by 24.4 cm. (6 15/16 by 9 5/8 inches) on 21.6 cm. by 27.9 cm. (8 1/2 by 11 inch) drawing sheets.
- (h) Views. The drawing must contain as many views as necessary to show the invention. The views may be plan, elevation, section, or perspective views. Detail views of portions of elements, on a larger scale if necessary, may also be used. All views of the drawing must be grouped together and arranged on the sheet(s) without wasting space, preferably in an upright position, clearly separated from one another, and must not be included in the sheets containing the specifications, claims, or abstract. Views must not be connected by projection lines and must not contain center lines. Waveforms of electrical signals may be connected by dashed lines to show the relative timing of the waveforms.
- (1) Exploded views. Exploded views, with the separated parts embraced by a bracket, to show the relationship or order of assembly of various parts are permissible. When an exploded view is shown in a figure which is on the same sheet as another figure, the exploded view should be placed in brackets.
- (2) Partial views. When necessary, a view of a large machine or device in its entirety may be broken into partial views on a single sheet, or extended over several sheets if there is no loss in facility of understanding the view. Partial views drawn on separate sheets must always be capable of being linked edge to edge so that no partial view contains parts of another partial view. A smaller scale view should be included showing the whole formed by the partial views and indicating the positions of the parts shown. When a portion of a view is enlarged for magnification purposes, the view and the enlarged view must each be labeled as separate views.
- (i) Where views on two or more sheets form, in effect, a single complete view, the views on the several sheets must be so arranged that the complete figure can be assembled without concealing any part of any of the views appearing on the various sheets.
- (ii) A very long view may be divided into several parts placed one above the other on a single sheet. However, the relationship between the different parts must be clear and unambiguous.
- (3) Sectional views. The plane upon which a sectional view is taken should be indicated on the view from which the section is cut by a broken line. The ends of the broken line should be designated by Arabic or Roman numerals corresponding to the view number of the sectional view, and should have arrows to indicate the direction of sight. Hatching must be used to indicate section portions of an object,

and must be made by regularly spaced oblique parallel lines spaced sufficiently apart to enable the lines to be distinguished without difficulty. Hatching should not impede the clear reading of the reference characters and lead lines. If it is not possible to place reference characters outside the hatched area, the hatching may be broken off wherever reference characters are inserted. Hatching must be at a substantial angle to the surrounding axes or principal lines, preferably 45°. A cross section must be set out and drawn to show all of the materials as they are shown in the view from which the cross section was taken. The parts in cross section must show proper material(s) by hatching with regularly spaced parallel oblique strokes, the space between strokes being chosen on the basis of the total area to be hatched. The various parts of a cross section of the same item should be hatched in the same manner and should accurately and graphically indicate the nature of the material(s) that is illustrated in cross section. The hatching of juxtaposed different elements must be angled in a different way. In the case of large areas, hatching may be confined to an edging drawn around the entire inside of the outline of the area to be hatched. Different types of hatching should have different conventional meanings as regards the nature of a material seen in cross section.

- (4) Alternate position. A moved position may be shown by a broken line superimposed upon a suitable view if this can be done without crowding; otherwise, a separate view must be used for this purpose.
- (5) *Modified forms*. Modified forms of construction must be shown in separate views.
- (i) Arrangement of views. One view must not be placed upon another or within the outline of another. All views on the same sheet should stand in the same direction and, if possible, stand so that they can be read with the sheet held in an upright position. If views wider than the width of the sheet are necessary for the clearest illustration of the invention, the sheet may be turned on its side so that the top of the sheet, with the appropriate top margin to be used as the heading space, is on the right-hand side. Words must appear in a horizontal, left-to-right fashion when the page is either upright or turned so that the top becomes the right side, except for graphs utilizing standard scientific convention to denote the axis of abscissas (of X) and the axis of ordinates (of Y).
- (j) Front page view. The drawing must contain as many views as necessary to show the invention. One of the views should be suitable for inclusion on the front page of the patent application publication and patent as the illustration of the invention. Views must not be connected by projection lines and must not contain center lines. Applicant may suggest a single view (by figure number) for inclusion on the front page of the patent application publication and patent.
- (k) Scale. The scale to which a drawing is made must be large enough to show the mechanism without crowding when the drawing is reduced in size to two-thirds in reproduction. Indications such as "actual size" or "scale 1/2" on the drawings are not permitted since these lose their meaning with reproduction in a different format.
- (I) Character of lines, numbers, and letters. All drawings must be made by a process which will give them satisfactory reproduction characteristics. Every line,

number, and letter must be durable, clean, black (except for color drawings), sufficiently dense and dark, and uniformly thick and well-defined. The weight of all lines and letters must be heavy enough to permit adequate reproduction. This requirement applies to all lines however fine, to shading, and to lines representing cut surfaces in sectional views. Lines and strokes of different thicknesses may be used in the same drawing where different thicknesses have a different meaning.

- (m) Shading. The use of shading in views is encouraged if it aids in understanding the invention and if it does not reduce legibility. Shading is used to indicate the surface or shape of spherical, cylindrical, and conical elements of an object. Flat parts may also be lightly shaded. Such shading is preferred in the case of parts shown in perspective, but not for cross sections. See paragraph (h)(3) of this section. Spaced lines for shading are preferred. These lines must be thin, as few in number as practicable, and they must contrast with the rest of the drawings. As a substitute for shading, heavy lines on the shade side of objects can be used except where they superimpose on each other or obscure reference characters. Light should come from the upper left corner at an angle of 45°. Surface delineations should preferably be shown by proper shading. Solid black shading areas are not permitted, except when used to represent bar graphs or color.
- (n) Symbols. Graphical drawing symbols may be used for conventional elements when appropriate. The elements for which such symbols and labeled representations are used must be adequately identified in the specification. Known devices should be illustrated by symbols which have a universally recognized conventional meaning and are generally accepted in the art. Other symbols which are not universally recognized may be used, subject to approval by the Office, if they are not likely to be confused with existing conventional symbols, and if they are readily identifiable.
- (o) Legends. Suitable descriptive legends may be used subject to approval by the Office, or may be required by the examiner where necessary for understanding of the drawing. They should contain as few words as possible.
- (p) Numbers, letters, and reference characters.
- (1) Reference characters (numerals are preferred), sheet numbers, and view numbers must be plain and legible, and must not be used in association with brackets or inverted commas, or enclosed within outlines, e.g., encircled. They must be oriented in the same direction as the view so as to avoid having to rotate the sheet. Reference characters should be arranged to follow the profile of the object depicted.
- (2) The English alphabet must be used for letters, except where another alphabet is customarily used, such as the Greek alphabet to indicate angles, wavelengths, and mathematical formulas.
- (3) Numbers, letters, and reference characters must measure at least.32 cm. (1/8 inch) in height. They should not be placed in the drawing so as to interfere with its comprehension. Therefore, they should not cross or mingle with the lines. They should not be placed upon hatched or shaded surfaces. When necessary, such as

indicating a surface or cross section, a reference character may be underlined and a blank space may be left in the hatching or shading where the character occurs so that it appears distinct.

- (4) The same part of an invention appearing in more than one view of the drawing must always be designated by the same reference character, and the same reference character must never be used to designate different parts.
- (5) Reference characters not mentioned in the description shall not appear in the drawings. Reference characters mentioned in the description must appear in the drawings.
- (q) Lead lines. Lead lines are those lines between the reference characters and the details referred to. Such lines may be straight or curved and should be as short as possible. They must originate in the immediate proximity of the reference character and extend to the feature indicated. Lead lines must not cross each other. Lead lines are required for each reference character except for those which indicate the surface or cross section on which they are placed. Such a reference character must be underlined to make it clear that a lead line has not been left out by mistake. Lead lines must be executed in the same way as lines in the drawing. See paragraph (I) of this section.
- (r) Arrows. Arrows may be used at the ends of lines, provided that their meaning is clear, as follows:
- (1) On a lead line, a freestanding arrow to indicate the entire section towards which it points;
- (2) On a lead line, an arrow touching a line to indicate the surface shown by the line looking along the direction of the arrow; or
- (3) To show the direction of movement.
- (s) Copyright or Mask Work Notice. A copyright or mask work notice may appear in the drawing, but must be placed within the sight of the drawing immediately below the figure representing the copyright or mask work material and be limited to letters having a print size of 32 cm. to 64 cm. (1/8 to 1/4 inches) high. The content of the notice must be limited to only those elements provided for by law. For example, "©1983 John Doe" (17 U.S.C. 401) and "\*M\* John Doe" (17 U.S.C. 909) would be properly limited and, under current statutes, legally sufficient notices of copyright and mask work, respectively. Inclusion of a copyright or mask work notice will be permitted only if the authorization language set forth in § 1.71(e) is included at the beginning (preferably as the first paragraph) of the specification.
- (t) Numbering of sheets of drawings. The sheets of drawings should be numbered in consecutive Arabic numerals, starting with 1, within the sight as defined in paragraph (g) of this section. These numbers, if present, must be placed in the middle of the top of the sheet, but not in the margin. The numbers can be placed on the right-hand side if the drawing extends too close to the middle of the top edge of the usable surface. The drawing sheet numbering must be clear and larger than the

numbers used as reference characters to avoid confusion. The number of each sheet should be shown by two Arabic numerals placed on either side of an oblique line, with the first being the sheet number and the second being the total number of sheets of drawings, with no other marking.

- (u) Numbering of views.
- (1) The different views must be numbered in consecutive Arabic numerals, starting with 1, independent of the numbering of the sheets and, if possible, in the order in which they appear on the drawing sheet(s). Partial views intended to form one complete view, on one or several sheets, must be identified by the same number followed by a capital letter. View numbers must be preceded by the abbreviation "FIG." Where only a single view is used in an application to illustrate the claimed invention, it must not be numbered and the abbreviation "FIG." must not appear.
- (2) Numbers and letters identifying the views must be simple and clear and must not be used in association with brackets, circles, or inverted commas. The view numbers must be larger than the numbers used for reference characters.
- (v) Security markings. Authorized security markings may be placed on the drawings provided they are outside the sight, preferably centered in the top margin.
- (w) Corrections. Any corrections on drawings submitted to the Office must be durable and permanent.
- (x) Holes. No holes should be made by applicant in the drawing sheets.
- (y) Types of drawings. See § 1.152 for design drawings, § 1.165 for plant drawings, and § 1.173(a)(2) for reissue drawings.

[24 FR 10332, Dec. 22, 1959; 31 FR 12923, Oct. 4, 1966; 36 FR 9775, May 28, 1971; 43 FR 20464, May 11, 1978; 45 FR 73657, Nov. 6,1980; paras. (a), (b), (i), (j), and (l) amended, paras. (n), (o), and (p) added, 53 FR 47809, Nov. 28, 1988, effective Jan. 1, 1989; revised, 58 FR 38719, July 20, 1993, effective Oct. 1, 1993; paras. (c), (f), (g), and (x) revised, 61 FR 42790, Aug. 19, 1996, effective Sept. 23, 1996; paras. (a)(2)(i), (b), (c) & (g) revised, 62 FR 53131, Oct. 10, 1997, effective Dec. 1, 1997; paras. (a), (b), (c), (j), (k), (o), and (x) revised, and para. (y) added, 65 FR 54604, Sept. 8, 2000, effective Nov. 7, 2000; paras. (a)(2), (e), and (j) revised, 65 FR 57024, Sept. 20, 2000, effective Nov. 29, 2000; para. (c) revised, 69 FR 56481, Sept. 21, 2004, effective Sept. 21, 2004; para. (a)(2) revised, 69 FR 56481, Sept. 21, 2004, effective Nov. 22, 2004; para. (y) revised, 70 FR 3880, Jan. 27, 2005, effective Dec. 8, 2004]

#### browse after

The Inventors Assistance Center is available to help you on patent matters. Send questions about USPTO programs and services to the USPTO Contact Center (UCC). You can suggest USPTO webpages or material you would like featured on this section by E-mail to the webmaster@uspto.gov. While we cannot promise to accommodate all requests, your suggestions will be considered and may lead to other

|.HOME | SITE INDEX| SEARCH | eBUSINESS | HELP | PRIVACY POLICY

Last Modified: 12/07/2005 07:54:27

Go to MPEP - Table of Contents



#### **United States Patent and Trademark Office**

**PATENTS** 

Home | Site Index | Search | FAQ | Glossary | Guides | Contacts | eBusiness | eBiz alerts | News | Help

Patents >

#### Go to MPEP - Table of Contents

#### browse before

# § 1.121 Manner of making amendments in applications. - PATENT RULES

# § 1.121 Manner of making amendments in applications.

- (a) Amendments in applications, other than reissue applications. Amendments in applications, other than reissue applications, are made by filing a paper, in compliance with § 1.52, directing that specified amendments be made.
- (b) Specification. Amendments to the specification, other than the claims, computer listings (§ 1.96) and sequence listings (§ 1.825), must be made by adding, deleting or replacing a paragraph, by replacing a section, or by a substitute specification, in the manner specified in this section.
- (1) Amendment to delete, replace, or add a paragraph. Amendments to the specification, including amendment to a section heading or the title of the invention which are considered for amendment purposes to be an amendment of a paragraph, must be made by submitting:
- (i) An instruction, which unambiguously identifies the location, to delete one or more paragraphs of the specification, replace a paragraph with one or more replacement paragraphs, or add one or more paragraphs;
- (ii) The full text of any replacement paragraph with markings to show all the changes relative to the previous version of the paragraph. The text of any added subject matter must be shown by underlining the added text. The text of any deleted matter must be shown by strike-through except that double brackets placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. The text of any deleted subject matter must be shown by being placed within double brackets if strikethrough cannot be easily perceived;
- (iii) The full text of any added paragraphs without any underlining; and
- (iv) The text of a paragraph to be deleted must not be presented with strike-through or placed within double brackets. The instruction to delete may identify a paragraph by its paragraph number or include a few words from the beginning, and end, of the paragraph, if needed for paragraph identification purposes.

- (2) Amendment by replacement section. If the sections of the specification contain section headings as provided in § 1.77(b), § 1.154(b), or § 1.163(c), amendments to the specification, other than the claims, may be made by submitting:
- (i) A reference to the section heading along with an instruction, which unambiguously identifies the location, to delete that section of the specification and to replace such deleted section with a replacement section; and;
- (ii) A replacement section with markings to show all changes relative to the previous version of the section. The text of any added subject matter must be shown by underlining the added text. The text of any deleted matter must be shown by strike-through except that double brackets placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. The text of any deleted subject matter must be shown by being placed within double brackets if strike-through cannot be easily perceived.
- (3) Amendment by substitute specification. The specification, other than the claims, may also be amended by submitting:
- (i) An instruction to replace the specification; and
- (ii) A substitute specification in compliance with §§ 1.125(b) and (c).
- (4) Reinstatement of previously deleted paragraph or section. A previously deleted paragraph or section may be reinstated only by a subsequent amendment adding the previously deleted paragraph or section.
- (5) Presentation in subsequent amendment document. Once a paragraph or section is amended in a first amendment document, the paragraph or section shall not be represented in a subsequent amendment document unless it is amended again or a substitute specification is provided.
- (c) Claims. Amendments to a claim must be made by rewriting the entire claim with all changes (e.g., additions and deletions) as indicated in this subsection, except when the claim is being canceled. Each amendment document that includes a change to an existing claim, cancellation of an existing claim or addition of a new claim, must include a complete listing of all claims ever presented, including the text of all pending and withdrawn claims, in the application. The claim listing, including the text of the claims, in the amendment document will serve to replace all prior versions of the claims, in the application. In the claim listing, the status of every claim must be indicated after its claim number by using one of the following identifiers in a parenthetical expression: (Original), (Currently amended), (Canceled), (Withdrawn), (Previously presented), (New), and (Not entered).
- (1) Claim listing. All of the claims presented in a claim listing shall be presented in ascending numerical order. Consecutive claims having the same status of "canceled" or "not entered" may be aggregated into one statement (e.g., Claims 1-5 (canceled)). The claim listing shall commence on a separate sheet of the amendment document and the sheet(s) that contain the text of any part of the claims shall not contain any other part of the amendment.

- (2) When claim text with markings is required. All claims being currently amended in an amendment paper shall be presented in the claim listing, indicate a status of "currently amended," and be submitted with markings to indicate the changes that have been made relative to the immediate prior version of the claims. The text of any added subject matter must be shown by underlining the added text. The text of any deleted matter must be shown by strike-through except that double brackets placed before and after the deleted characters may be used to show deletion of five or fewer consecutive characters. The text of any deleted subject matter must be shown by being placed within double brackets if strike-through cannot be easily perceived. Only claims having the status of "currently amended," or "withdrawn" if also being amended, shall include markings. If a withdrawn claim is currently amended, its status in the claim listing may be identified as "withdrawn- currently amended."
- (3) When claim text in clean version is required. The text of all pending claims not being currently amended shall be presented in the claim listing in clean version, i.e., without any markings in the presentation of text. The presentation of a clean version of any claim having the status of "original," "withdrawn" or "previously presented" will constitute an assertion that it has not been changed relative to the immediate prior version, except to omit markings that may have been present in the immediate prior version of the claims of the status of "withdrawn" or "previously presented." Any claim added by amendment must be indicated with the status of "new" and presented in clean version, i.e., without any underlining.
- (4) When claim text shall not be presented; canceling a claim.
- (i) No claim text shall be presented for any claim in the claim listing with the status of "canceled" or "not entered."
- (ii) Cancellation of a claim shall be effected by an instruction to cancel a particular claim number. Identifying the status of a claim in the claim listing as "canceled" will constitute an instruction to cancel the claim.
- (5) Reinstatement of previously canceled claim. A claim which was previously canceled may be reinstated only by adding the claim as a "new" claim with a new claim number.
- (d) *Drawings*: One or more application drawings shall be amended in the following manner: Any changes to an application drawing must be in compliance with § 1.84 and must be submitted on a replacement sheet of drawings which shall be an attachment to the amendment document and, in the top margin, labeled "Replacement Sheet". Any replacement sheet of drawings shall include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is amended. Any new sheet of drawings containing an additional figure must be labeled in the top margin as "New Sheet". All changes to the drawings shall be explained, in detail, in either the drawing amendment or remarks section of the amendment paper.
- (1) A marked-up copy of any amended drawing figure, including annotations indicating the changes made, may be included. The marked-up copy must be

clearly labeled as "Annotated Sheet" and must be presented in the amendment or remarks section that explains the change to the drawings.

- (2) A marked-up copy of any amended drawing figure, including annotations indicating the changes made, must be provided when required by the examiner.
- (e) *Disclosure consistency.* The disclosure must be amended, when required by the Office, to correct inaccuracies of description and definition, and to secure substantial correspondence between the claims, the remainder of the specification, and the drawings.
- (f) No new matter. No amendment may introduce new matter into the disclosure of an application.
- (g) Exception for examiner's amendments. Changes to the specification, including the claims, of an application made by the Office in an examiner's amendment may be made by specific instructions to insert or delete subject matter set forth in the examiner's amendment by identifying the precise point in the specification or the claim(s) where the insertion or deletion is to be made. Compliance with paragraphs (b)(1), (b)(2), or (c) of this section is not required.
- (h) Amendment sections. Each section of an amendment document (e.g., amendment to the claims, amendment to the specification, replacement drawings, and remarks) must begin on a separate sheet.
- (i) Amendments in reissue applications. Any amendment to the description and claims in reissue applications must be made in accordance with § 1.173.
- (j) Amendments in reexamination proceedings. Any proposed amendment to the description and claims in patents involved in reexamination proceedings must be made in accordance with § 1.530.
- (k) Amendments in provisional applications. Amendments in provisional applications are not usually made. If an amendment is made to a provisional application, however, it must comply with the provisions of this section. Any amendments to a provisional application shall be placed in the provisional application file but may not be entered.

[32 FR 13583, Sept. 28, 1967; 46 FR 29183, May 29, 1981; para. (e), 49 FR 555, Jan. 4, 1984, effective Apr. 1, 1984; revised, 62 FR 53131, Oct. 10, 1997, effective Dec. 1, 1997; revised, 65 FR 54604, Sept. 8, 2000, effective Nov. 7, 2000; para. (i) revised, 65 FR 76756, Dec. 7, 2000, effective Feb. 5, 2001; revised, 68 FR 38611, June 30, 2003, effective July 30, 2003; para. (d) revised, 69 FR 56481, Sept. 21, 2004, effective Oct. 21, 2004]

#### browse after

**KEY**: ♣=online business system ♦=fees •=forms ♦ =help ♣==laws/regulations •=definition (glossary)

The Inventors Assistance Center is available to help you on patent matters. Send questions about USPTO programs and services to the USPTO Contact Center (UCC). You can suggest USPTO webpages or material you would like featured on this section by E-mail to the webmaster@uspto.gov. While we cannot promise to accommodate all requests, your suggestions will be considered and may lead to other improvements on the website.

|.HOME | SITE INDEX| SEARCH | eBUSINESS | HELP | PRIVACY POLICY

Last Modified: 12/07/2005 07:51:47

Go to MPEP - Table of Contents